

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5022734".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 13:59
L5	18431	(fiber waveguide) with core with cladding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 14:27
L6	2733	core with (constant uniform) near3 (diameter radius)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 14:28
L7	280	5 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 14:28
L8	56	7 and mode adj field adj diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 15:05
L9	16	8 and fiber with protect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 14:31
L10	9	9 not @ad>="20020712"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 15:36
L11	0	8 and fiber with protect\$3 near5 (radiat\$3 energ\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 14:32
L12	1	8 and fiber with protect\$3 with (radiat\$3 energ\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 14:32
L13	44	8 not @ad>="20020712"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 14:50

L14	48044	protect\$3 with fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 15:06
L15	21117	protect\$3 near3 fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 15:06
L16	16	device near3 protect\$3 near3 fiber near3 compris\$3 near3 fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 15:06
L17	12	fiber with protect\$3 with mode adj field adj diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 15:40
L18	408	fiber with protect\$3 with ((mode adj field adj diameter) mfd)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 15:41
L19	3	fiber with protect\$3 with fuse with ((mode adj field adj diameter) mfd)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 15:52
L20	3	fiber with protect\$3 with ((mode adj field adj diameter) mfd) with cladding with core	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 15:42
L21	474	fiber with cladding with length with diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 15:43
L22	189	fiber with ((cladding near3 length) and (cladding near3 diameter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 15:43
L23	90	fiber with core with ((cladding near3 length) and (cladding near3 diameter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 15:44

L24	0	fiber with core with ((cladding near3 length) and (cladding near3 diameter)) with ((mode adj field adj diameter) mfd)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 15:45
L25	0	fiber with ((cladding near3 length) and (cladding near3 diameter)) with ((mode adj field adj diameter) mfd)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 15:45
L26	5	((cladding near3 length) and (cladding near3 diameter)) with ((mode adj field adj diameter) mfd)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 15:45
L27	0	fiber with cladding with "40 .mu.m"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 15:53
L28	273	fiber with cladding near3 "40"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:02
L29	221	28 not @ad>="20020712"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 17:10
L34	0	fiber with cladding near3 ("0.04" adj mm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:11
L35	0	fiber with cladding near3 ("\$.04" adj mm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:03
L37	56	cladding with length with ((mode adj field adj diameter) mfd)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:21
L38	1	fiber with cladding near3 ("40" adj micron)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:12

L39	593	fiber with cladding near3 micron	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:12
L40	134069	fiber with length	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:21
L41	2289	40 with cladding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:22
L42	1339	41 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:22
L43	1159	42 not @ad>="20020712"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:23
L44	77	40 with cladding with meter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:22
L45	46	44 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:22
L46	44	45 not @ad>="20020712"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:23
L47	11	46 and ((mode adj field adj diameter) mfd)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:27
L48	167	fiber with length with mode adj field adj diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:29

L49	11	48 with cladding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:37
L50	0	fiber with cladding with protect with fuse with length	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:37
L51	0	fiber with cladding with protect\$3 with fuse with length	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:37
L52	9	fiber same cladding same protect\$3 same fuse same length	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:37
L53	2797	385/123.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 17:10
S1	52	fiber with core with (constant adj diameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 17:34
S2	190	fiber with cladding with diameter with mode adj field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 13:59
S3	1	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/15 14:27
S4	75	S2 and cladding with silica	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 17:36
S6	10	S1 and fiber with protect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 17:37

S7	37	S2 and fiber with protect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 17:37
S8	0	S6 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 17:36
S9	19	S7 and cladding with silica	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 17:36
S10	0	S1 and fiber with protect\$3 with splic\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 17:37
S11	6	S2 and fiber with protect\$3 with splic\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 17:37